



p.u.k.[®]

Hydroblade IP65
Lighting Effects



Hydroblade IP65

A new small and smart lighting fixture perfect to create lighting effects. Could be used as step light indoor or outdoor. Die cast aluminium body and stainless steel recessing case. Power LED 2W with integrated driver at 700mA

READY TO BE INSTALLED

LED 2 Watt


230Volts LED driver included

IP65 - CE Ⓟ


1,0 kg unit gross weight

- Completely made of die cast aluminium Integrated electronic components.
- Ready to be installed 230V
- Silicon rubber gaskets Phosphochromated and polyester painting.

Fixture Body




Recessing case



SUITABLE FOR:

- Small areas
- Lighting effects
- Lighting accents
- Step-light

p.u.k.[®]



Light beam distance from the wall

Positioning the fixture in the wall, light beam will be: 1 cm far from the wall every 10cm in height of the fixture.


This means: if Hydroblade IP65 is installed at the height of 15 cm, light will be 1,5 cm far from the wall.

If Hydroblade is installed at height of 30 cm, light will be 3 cm far from the wall.



Hydroblade IP65

LIGHT COLOUR



AVAILABLE COLOURS





p.u.k.[®]
Sistemi Professionali per Illuminazione

Hydroblade **IP65**
Lighting Effects

